


HOOLIGAN TOOL

The Hooligan Tool is one of the world's most popular forcible entry tools. These heavy-duty tools were designed to pound, puncture, pry, twist, and cut all types of barriers encountered by emergency service personnel. The head and claw are forged from high alloy steel, heat treated for maximum strength, then fitted to a 1" (2.5 cm) stress proof bar. The bar has machine grooved non-slip grips. The Hooligan Tool features a claw that is gently curved for maximum prying leverage. The claw opening is parallel and fits over locks, hasps and many door bars. It can also be used as a nail puller and a gas shut off during emergencies. The "Highway Hooligan Tool" features a metal cutting claw with a machine sharpened metal cutter that uses the can opener principle to cut heavy gauge metal and composites.

RECOMMENDED USERS:

- FIRE DEPARTMENTS
- LAW ENFORCEMENT AGENCIES
- RESCUE SQUADS
- HAZMAT TEAMS
- PLANT/REFINERY MAINTENANCE CREWS
- MILITARY AND PUBLIC UTILITIES



• **Standard Claw:**
Parallel opening for gas valve shutoffs, locks and hasps. Machine sharpened claws. Recessed nail puller. Claw radius for prying leverage.



• **Metal Cutting Claw:**
Combines the capability of prying and metal cutting. Machine sharpened metal cutter uses can opener principle to cut heavy gauge metal and composites.



HOOLIGAN TOOL WITH STANDARD CLAW ELECTROLESS NICKEL FINISH



Part No.	Description	Length:		Net Weight:	
		in	cm	lb	kg
22-000599	24 in / 61.0 cm Hooligan Tool	24.0	61.0	9.2	4.2
22-000600	30 in / 76.2 cm Hooligan Tool (pictured)	30.0	76.2	10.6	4.8
22-000601	36 in / 91.4 cm Hooligan Tool	36.0	91.4	11.9	5.4
22-000602	42 in / 106.7 cm Hooligan Tool	42.0	106.7	13.2	6.0

HOOLIGAN TOOL LIGHTWEIGHT ALUMINUM HANDLE AND STANDARD CLAW WITH ELECTROLESS NICKEL FINISH



Part No.	Description	Length:		Net Weight:	
		in	cm	lb	kg
22-000424	24 in / 61.0 cm Hooligan Tool - Lightweight (pictured)	24.0	61.0	6.8	3.1
22-000430	30 in / 76.2 cm Hooligan Tool - Lightweight	30.0	76.2	7.3	3.3

SPF HOOLIGAN

Part No.	Description	Length:	in	cm	Net Weight:	lb	kg
22-000680	SPF Hooligan 30 in / 76.2 cm		30.0	76.2		9.7	4.4

The SPF Hooligan is a single piece forged (SPF) tool intended to exceed FDNY specifications for their primary hand held forcible entry tools. It is the very first redesigned, (features included) single piece Halligan type tool.

FEATURES:

- Single Piece, closed die Forging for absolute consistent lengths
- Recessed nail puller type claw, a thin curved profile
- Cable groove at the rear of the tool head
- Electroless nickel plating


Parallel opening for gas valve shut-offs, locks and hasps

Thinnest claw on the market designed for better wedging

Long, sharp, tapered and gently curved pike to break a lock or latch

Curved bill is long with a smooth incline to force windows and doors

Standard electroless nickel finish is available for good looks and easy maintenance



HIGHWAY HOOLIGAN WITH METAL CUTTING CLAW WITH ELECTROLESS NICKEL FINISH


Part No.	Description	Length:	in	cm	Net Weight:	lb	kg
22-000622	30 in / 76.2 cm Highway Hooligan Tool		30.0	76.2		10.6	4.8
22-000623	36 in / 91.4 cm Highway Hooligan Tool (pictured)		36.0	91.4		11.9	5.4
22-000624	42 in / 106.7 cm Highway Hooligan Tool		42.0	106.7		13.3	6.0



Designed for emergency service personnel operating in the presence of hazardous vapors and combustible residues, this Hooligan is an important addition to your HazMat tool arsenal. The head and claw are manufactured entirely from spark resistant AMPCO 45.

HOOLIGAN-SPARK RESISTANT STANDARD CLAW AND METAL CUTTING CLAW

Part No.	Description	Length:	in	cm	Net Weight:	lb	kg
22-891600	30 in / 76.2 cm Spark Resistant - Standard Claw		30.0	76.2		7.2	3.3
22-891622	30 in / 76.2 cm Spark Resistant - Metal Cutting Claw (pictured)		30.0	76.2		7.1	3.2




TOPCUT™ FIRE AXE

The TopCut™ Fire Axe design directs maximum chopping efficiency to the top portion of the axe blade where you need it most. Fire ground axe work demands a tool designed for what firefighters do. They chop walls, roofs and doors and the work requires a cutting edge tool designed for these tasks.

FEATURES:

- Contoured axe head for mating of Halligan type tools
- Shaped to cut from the top half of the axe blade
- Heat-treated for strength and durability
- Designed for work on the fire ground
- More efficiency, less weight



Part No.	Description	Length:	in	cm	Net Weight:	lb	kg
22-000610	TopCut™ Fire Axe		36.5	92.7		8.6	3.9

SET OF IRONS

Part No.	Description	Length:	in	cm	Net Weight:	lb	kg
22-000613	Set of Irons <i>Set includes:</i>		36.5	92.7		18.3	8.3
22-000610	TopCut™ Fire Axe						
22-000680	SPF Hooligan 30 in / 76.2 cm						
22-000618	Strap Irons/Glove						

A POWERFUL COMBINATION!

Paratech's TopCut™ Fire Axe and SPF Hooligan are your essential tools to chop, pry, pound, puncture, twist or cut in the most demanding situations.

